

HOW-TO: CLOSE A BAQUACIL POOL

Courtesy of Arch Chemicals w/ Johnson Pools and Spas

PREPARE the Pool for Closing

- A. Bring a water sample to one of our two locations (Huntsville & Madison) to check water balance. Clarify the pool if water is hazy or treat for algae if necessary.
- B. Perform necessary housekeeping such as brushing and vacuuming the pool as well as cleaning the waterline and skimmer box using Baquacil Surface Cleaner.

CLOSE the Pool – Winterizing a pool that WILL be covered during the winter

- 1. Top-up the Baquacil Sanitizer to reach 50ppm using the Top-Up Dosage Chart Instructions on back.
- A. The Baquacil System
 - a. Add a Winterizing Dose (5 ¼ oz. per 10,000 gallons) of Baquacil Algicide.*
 - b. Add a Winterizing Dose (1 gallon per 10,000 gallons) of Baquacil Oxidizer and run filter continuously for 8 to 12 hours.
 - c. C. Proceed to step #2.
- B. The Baquacil CDX* System
 - a. Add a Winterizing Dose (1 gallon per 10,000 gallons) of Baguacil Oxidizer.
 - b. Add a maintenance dose (1 pint per 10,000 gallons) of Baquacil CDX (add immediately after the Oxidizer) and run filter continuously for 8 to 12 hours.
- 2. Chemically clean your filter using Baquacil Filter Cleaner, Baquacil Sand Filter Cleaner, or Baquacil D.E. & Cartridge Filter Cleaner. Follow label directions.
- 3. Follow manufacturers' directions for winterizing the pool filter and equipment. Clean the skimmer basket and the pump hair and lint basket.
- 4. Cover your pool using a durable, well-fitted cover designed specifically for your pool.

NOTE: Run the filter 4 to 6 continuous hours per day if the water level is above the skimmer and the filter is still operations.

CLOSE the Pool – Winterizing a pool that WILL NOT be covered during the winter.

- Follow steps 1-4 above.
- 5. Perform the following off-season maintenance in non-swimming months.
 - a. Check the level of Baquacil Sanitizer and the pH level of the pool every two weeks using Baquacil



Test Strips and top-up or adjust as necessary.

- b. Add 1 bottle (1 gallon per 10,000 gallons) of Baquacil Oxidizer only as needed, i.e., after heavy rain or other extreme environmental factors.
- 6. Run filter continuously 4 to 6 hours per day and perform necessary pool housekeeping.
- 7. Bring in a water sample to one of our stores to check the water balance every two months.
- ++ Our service department is happy to take care of your pool closing for you. If you are interested, please call (256) 533-3118 and ask for Paul. All you need to do is schedule an appointment and bring a water sample in 1-2 days before our visit.
- * Pools with attached water features should use a Winterizing Dose (6 to 10 oz. per 10,000 gallons) of Baquacil Performance Algicide